





# DYNACLEAN INDUSTRIES



**CONTACT US:-**





-  011-45143666  
+91 93153 27809
-  [www.dynacleanindustries.com](http://www.dynacleanindustries.com)
-  [sales@dynacleanindustries.com](mailto:sales@dynacleanindustries.com)

## About Us

DYNACLEAN INDUSTRIES PVT. LTD. is a leading name in the Indian cleaning equipment industry, known for delivering high-performance and innovative cleaning solutions. We specialize in both manufacturing and trading of a wide range of professional cleaning machines designed to meet industrial, commercial, and municipal cleaning needs.








With a strong presence Pan-India, our machines are already trusted and operational in major sectors including Delhi Metro, Aerocity, Indian Railways, Airports, and Government Infrastructures, Municipal departments.

## What We Offer

-  **Comprehensive Cleaning Solutions:**  
From Road Sweepers, Ride-on Scrubber Driers, Industrial Vacuum Cleaners, High Pressure Jet Washers to Escalator Cleaners, we offer a complete range of machines designed for performance, durability, and ease of use.
-  **Made in India, Built for the World:**  
Our machines are proudly Made in India using the latest technologies, ensuring global standards in quality, efficiency, and safety.
-  **Innovation & Customization:**  
We believe every cleaning challenge is unique. That's why we also offer custom-built solutions tailored to specific industrial or municipal needs.
-  **After-Sales Support & Service:**  
Our dedicated service network and professional team ensure timely support, AMC options, and on-site service, keeping your operations running smoothly.

## Why Choose Us

At DYNACLEAN INDUSTRIES PVT. LTD., we go beyond just supplying cleaning machines – we deliver quality, performance, and trust. Here's why clients across India choose us as their preferred cleaning equipment partner:

-  **Trusted by Top Sectors**
-  **In-House Manufacturing Excellence**
-  **Complete Range Under One Roof**
-  **Pan India Network**
-  **Technology-Driven & Eco-Friendly**
-  **Prompt After-Sales Service**
-  **Commitment to Quality & Innovation**

# VERSATILE CLEANING SOLUTION FOR EVERY SPACE

BUILT FOR VERSATILE CLEANING, OUR MACHINE ENSURES SUPERIOR CLEANLINESS IN OFFICES , HOSPITALS , MALLS , GYM , FACTORIES, RAILWAYS , POWER PLANTS , MUNICIPAL ROADS , AIRPORTS DEFENCE , PARKING LOTS AND RESTAURANTS.

## YOUR ALL-IN-ONE SOLUTION FOR ANY FLOOR, ANY FACILITY



# VACUUM CLEANERS



DV-30



DV-60



DV-80



D-BP6



Specifications	Unit	DV-30	DV-60	DV-80	D-BP6
Tank capacity	L	30	60	80	6
Voltage	V	220	220	220	220
Motor Power	W	1500	3000	4500	1000
Type	Wet/Dry	Wet/Dry	Wet/Dry	Wet/Dry	Wet/Dry
Airflow	L/S	53	106	120	47
Vacuum Suction	Mbar	230	250	280	190
Tank Diameter	mm	345	440	440	36
Height	mm	760	1000	1050	730
Wire Length	m	5	7	7	15
Weight	Kg	14.5	24.5	32.1	5.5
Size	mm	84x40x43	96x68x62	96x68x62	400x340x730

# HIGH PRESSURE JET WASHER



DJE-18



DJE-30



DJ-200



DJB-200



Specifications	Unit	DJE-18	DJE-30	DJ-200	DJB-200
Pressure	Bar	120	150	170	130
Flow Rate	L/Min	10	15	17	11
Fuel	-	Electric	Electric	Diesel	Battery
Power	Kw	1.8	3	5.5	1.5
Voltage	V	220	220	NA	48
Speed	Rpm	2800	1450	3400	3000
Weight	Kg	20.5	42	70	65
Water Tank	L	NA	NA	199	200
Working Time	h	-	-	-	4-5
Wire	m	3	3	-	-
Hose length	Mtr	10	10	10	10
Product Size	mm	48x48x38	76x63x39	180x135x97	1200x800x700

# SINGLE DISC SCRUBBERS



**D-15P**



**D-20P**



Specifications	Unit	D-15P	D-20P
Power	Hp	1.5	2.0
Brush size	mm	430	430
Water Tank	Ltr	10	10
Voltage	V	220	220
Brush Speed	Rpm	175	175
Brush Pressure	Kg	40	48
Weight	Kg	50	50
Wire Size	m	12	12
Size	mm	560x465x1230	560x470x1230

**D-25P**



**DH-2P**



Specifications	Unit	D-25P	DH-2P
Power	Hp	2.5	2
Brush size	mm	430	3x300
Water Tank	Ltr	10	10
Voltage	V	220	240
Brush Speed	Rpm	175	360
Brush Pressure	Kg	60	90
Weight	Kg	68	105
Wire Size	m	12	12
Size	mm	560x480x1230	585x680x1245

# WALK BEHIND SCRUBBER DRIERS



**DYNA-20**



**DYNA-40**



**DB-9050P**



**DB-6070T**



Specifications	Unit	DYNA-20	DYNA-40	DB-9050P	DB-6070T
Clean Water Tank	L	15	35	50	65
Waste Water Tank	L	18	40	90	71
Squeegee width	mm	350	780	800	800
Scrubbing Width	mm	430	460	560	530
Cleaning Efficiency	m <sup>2</sup> /h	1350	1800	2000	2200
Battery Capacity	Ah/m	NA	NA	65	65
Wire Size	m	12	12	NA	NA
Voltage	V	220	220	24	24
Brush Motor	W	400	1100	500	550
Suction Motor	W	500	550	310	500
Brush Pressure	Kg	32	40	42	48
Size	mm	97x64x47	98x98x56	1280x800x1000	141X119X66
Weight	Kg	56	74	137	171
Working Time	H	NA	NA	3-4	2-3

# RIDE ON SCRUBBER DRIERS

**DRO-8085**



**DRO-100P**



**DRO-100T**



**DRO-200T**



Specifications	Unit	DRO-8085	DRO-100P	DRO-100T	DRO-200T
Clean Water Tank	L	80	95	90	200
Waste Water Tank	L	85	100	100	220
Squeegee width	mm	850	900	920	1250
Scrubbing Width	mm	530	360x2	350x2	560x2
Cleaning Efficiency	m <sup>2</sup> /h	3600	5000	4900	10000
Battery Capacity	Ah/m	75	100	100	100
Voltage	V	24	24	24	24
Brush Motor	W	500	350x2	380x2	500x2
Suction Motor	W	500	310	500	650
Drive Motor	W	500	500	500	1200
Size	mm	142x128x72	1340x900x1260	1460x1030x1110	186x145x122
Weight	Kg	224	220	190	577
Working Time	H	3-4	3-4	3-4	3-4

# WALK BEHIND SWEEPERS



**DS2-55**



Specifications	Unit	DS2-55
Dust Tank	L	55
Sweeping Width	mm	980
Main Brush Width	mm	480
Side Brush Width	mm	2x350
Cleaning Efficiency	m2/h	3860
Weight	Kg	22
Size	mm	90X77X42

Specifications	Unit	DSE-55
WaterTank	L	15
Dust Tank	L	55
Sweeping Width	mm	850
Main Brush Width	mm	700
Side Brush Width	mm	2x350
Cleaning Efficiency	m2/h	5200
Battery Capacity	Ah	12
Working Time	h	3-4
Operating Voltage	V	12
Main Brush Motor	W	120
Suction Motor <sub>(WxNOS)</sub>	W	100
Weight	Kg	107
Size	mm	70X46X45

**DSE-55**



# RIDE ON SWEEPERS



**DRS-90T**



**DRS-180T**



Specifications	Unit	DRS-90T	DRS-180T
Water Tank	L	30	90
Dust Tank	L	100	180
Sweeping Width	mm	1250	1550
Main Brush Width	mm	530	790
Side Brush Width	mm	2x460	2x500
Cleaning Efficiency	m <sup>2</sup> /h	7000	13000
Battery Capacity	Ah	65X4	65X4
Working Time	h	3-4	3-4
Operating Voltage	V	48	48
Main Brush Motor	W	700	850
Suction Motor <sub>(WXNOS)</sub>	W	100X2	2X100
Drive Motor	W	1000	2200
Side Brush Motor	W	90*2	500x2
Weight	Kg	320	570
Size	mm	1395X1250X1325	1920X1550X1350

Specifications	Unit	DRS-250T
Dust Tank	L	250
Water Tank	L	150
Sweeping Width	mm	1900
Cleaning Efficiency	m/h	19000
Number of Brushes	N	5
Main Brush Motor	W	1000
Drive Motor power	W	1500
Vacuum Motor Power	W	1500
Maximum sweeping Speed	Km	10
Maximum Drive Speed	Km	10
Maximum Distance Covered	Km	40
Cabin	Person	1
Battery Capacity	Kwh	5
Charging Time	h	4-5
Working Time	h	4-5
In-Built Jet Pressure Washer	Bar	100
Anti-Smog Spray System	y/n	Yes

**DRS-250T**



### DRS-600



Specifications	Unit	DRS-600
Dust Tank	L	300
Water Tank	L	300
Sweeping Width	mm	2400
Cleaning Efficiency	m/h	23000
Number of Brushes	N	4
Main Brush Motor	W	800
Drive Motor power	W	3000
Maximum sweeping Speed	Km	10
Maximum Drive Speed	Km	25
Maximum Distance Covered	Km	80
Cabin	Person	2
Battery Capacity	Kwh	15
Charging Time	h	6-8
Working Time	h	7-8
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	y/n	Yes

Specifications	Unit	DRS-600DT
Dust Tank	L	600
Water Tank	L	600
Sweeping Width	mm	2400
Cleaning Efficiency	m <sup>2</sup> /h	24000
Number of Brushes	N	4
Drive Motor power	W	5000
Vacuum Motor Power	W	3000
Maximum sweeping Speed	Km	10
Maximum Drive Speed	Km	25
Maximum Distance Covered	Km	80
Cabin	Person	2
Battery Capacity	Kwh	30
Charging Time	h	6-8
Working Time	h	8-10
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	y/n	Yes
Litter Picker	y/n	Yes

### DRS-600DT



## DRS-1000EV



Specifications	Unit	DRS-1000EV
Dust Tank	L	1000
Water Tank	L	900
Sweeping Width	mm	2000
Cleaning Efficiency (maximum)	m2/hours	24000
Number of Brushes	Number	4
Drive Motor Power	Kw	8
Vacuum Motor Power	Kw	8
Maximum Sweeping Speed	Km/h	10
Maximum Drive Speed	Km/h	25
Maximum Distance Covered (8 Hours)	Km	80
Dumping Height	Meter	1
Dumping Type	Hydraulic	Hydraulic
Cabin	Persons	2
Control System	Smart Touch	Smart Touch
Battery Capacity	KWh	36
Charging Time	hours	6-8
Running Time	hours	8-9
Charging Cost (Approx)	Rupees/day	₹400
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	Yes/No	Yes
Litter Picker	Yes/No	Yes

Specifications	Unit	DRS-2000EV
Dust Tank	L	2000
Water Tank	L	900
Sweeping Width	mm	2000
Cleaning Efficiency (maximum)	m2/hours	24000
Number of Brushes	Number	4
Drive Motor Power	Kw	10
Vacuum Motor Power	Kw	10
Maximum Sweeping Speed	Km/h	10
Maximum Drive Speed	Km/h	25
Maximum Distance Covered (8 Hours)	Km	80
Dumping Height	Meter	1
Dumping Type	Hydraulic	Hydraulic
Cabin	Persons	2
Control System	Smart Touch	Smart Touch
Battery Capacity	KWh	40
Charging Time	hours	6-8
Running Time	hours	8-10
Charging Cost (Approx)	Rupees/day	₹450
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	Yes/No	Yes
Litter Picker	Yes/No	Yes

## DRS-2000EV



# TRUCK MOUNTED ELECTRIC SWEEPER



DTMS-3000EV



Specifications	Unit	DTMS-3000EV
Dust Tank	L	3000
Water Tank	L	900
Sweeping Width	mm	2800
Cleaning Efficiency (maximum)	m <sup>2</sup> /hours	28000
Number of Brushes	Nos	4
Drive Motor Power	Kw	60
Vacuum Motor Power	Kw	12
Maximum Sweeping Speed	Km/h	10
Maximum Drive Speed	Km/h	70
Maximum Distance Covered (8 Hours)	Km	80
Dumping Height	Meter	1.1
Dumping Type	Hydraulic	Hydraulic
Cabin	-	2 Persons+AC
Control System	-	Smart Touch
Battery Capacity	KWh	80
Charging Time	hours	6-8
Running Time	hours	8-10
Charging Cost (Approx)	Rupees/day	₹500
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	Y/N	Yes
Litter Picker	Y/N	Yes



**AI POWERED**

**DTMS-6000EV**



**360° LIVE MONITORING**



**Sweeping System**



**Jet Pressure Washer**



**Smart Touch Control**



**Anti-Smog Water Spray System**



**Litter Picker**

Specifications	Unit	DTMS-6000EV
Dust Tank	L	6500
Water Tank	L	1500
Sweeping Width	mm	3500
Cleaning Efficiency (maximum)	m2/hour	35000
Number of Brushes	No	4
Drive Motor Power	Kw	250
Vacuum Motor Power	Kw	24
Chassis Capacity	Ton	9
Maximum Sweeping Speed	Km/h	10
Maximum Drive Speed	Km/h	75
Maximum Distance Covered (8 Hours)	Km	80
Dumping Height	Meter	1.2
Dumping Type	Hydraulic	Hydraulic
Cabin	-	2 Persons+AC
Control System	-	Smart Touch Control
Battery Capacity	Kwh	200.50
Charging Time	hours	6-8
Running Time	hours	8-12
Charging Cost (Approx)	Rupees/day	₹1500
In-Built Jet Pressure Washer	Bar	150
Anti-Smog Water Spray System	Yes/No	Yes
Litter Picker	Yes/No	Yes
In Build AI Integration	Yes/No	Yes
In Build 360° Camera	Yes/No	Yes



**AI POWERED**

**DTMS-7500EV**



**360° LIVE MONITORING**



**Sweeping System**



**Jet Pressure Washer**



**Smart Touch Control**



**Anti-Smog Water Spray System**



**Litter Picker**

Specifications	Unit	DTMS-7500EV
Dust Tank	L	7800
Water Tank	L	1500
Sweeping Width	mm	3500
Cleaning Efficiency (maximum)	m2/hour	45000
Number of Brushes	No	4
Drive Motor Power	Kw	250
Vacuum Motor Power	Kw	24
Chassis Capacity	Ton	9.3
Maximum Sweeping Speed	Km/h	10
Maximum Drive Speed	Km/h	75
Maximum Distance Covered (8 Hours)	Km	80
Dumping Height	Meter	1.2
Dumping Type	Hydraulic	Hydraulic
Cabin	-	2 Persons+AC
Control System	-	Smart Touch Control
Battery Capacity	Kwh	230
Charging Time	hours	6-8
Running Time	hours	8-12
Charging Cost (Approx)	Rupees/day	₹1500
In-Built Jet Pressure Washer	Bar	150
Anti-Smog Water Spray System	Yes/No	Yes
Litter Picker	Yes/No	Yes
In Build AI Integration	Yes/No	Yes
In Build 360 Camera	Yes/No	Yes

# TRUCK MOUNTED DIESEL SWEEPER



**DTMS-5000**



Specifications	Unit	DTMS-5000
Chassis	Ton	12
Hopper Capacity	m3	5
Auxiliary Engine	Hp	110
Rotary Brush	mm	4x600
Suction Width	mm	1200
Sweeping Width	mm	3000
Working Speed	Km/h	0-10
Water Tank	L	1500
Dust Tank	L	5000
Cleaning capacity	m2/h	30000
Vacuum Hose	m	5
Hose Dia	mm	150
Auxiliary Engine Fuel	-	Diesel
Recommended Chassis	-	TATA 1212

Specifications	Unit	DTMS-6000
Chassis	Ton	12
Hopper Capacity	m3	6.5
Auxiliary Engine	Hp	110
Rotary Brush	mm	4x600
Suction Width	mm	1200
Sweeping Width	mm	3500
Working Speed	Km/h	0-10
Water Tank	L	1500
Dust Tank	L	6500
Cleaning capacity	m2/h	36000
Vacuum Hose	m	5
Hose Dia	mm	150
Auxiliary Engine Fuel	-	Diesel
Recommended Chassis	-	TATA 1212

**DTMS-6000**



# ESCALATOR CLEANER



**D-510ES**



Specifications	Unit	D-510ES
Clear Water Tank	L	32
Waste Dust Tank	L	35
Scrubbing Width	mm	510
Cleaning Efficiency	m <sup>2</sup> /h	1000
Voltage	V	220
Brush Motor	W	1600
Suction Motor	W	500
Brush Pressure	Kg	30
Cable length	m	15
Weight	Kg	130
Size	mm	1220x620x980

Specifications	Unit	DMS-115P
Cleaning Width	mm	900
Wheel Size	mm	250
Gradability	Degree	20
Voltage	V	48
Motor Power	W	350
Battery	Ah	18x4
Working time	H	3-4
Weight	Kg	112.8
Size	mm	140x78x68

# SCOOTER MOP

**DMS-115P**



# SOFA & CARPET CLEANER

**DSC-30**



Specifications	Unit	DSC-30
Tank capacity	L	30
Voltage	V	220
Motor Power	W	1000
Type	Wet/Dry	Wet/Dry
Airflow	L/S	53
Vacuum Suction	Mbar	230
Tank Diameter	mm	345
Height	mm	760
Wire Length	m	7
Weight	Kg	17.5
Size	mm	455x410x920

# STEAM CLEANER

D-STEAM2



Specifications	Unit	D-STEAM2
Power	W	2000
Voltage	V	220
Water Tank	L	2.4
Pressure	Bar	4
Weight	Kg	5.5
Size	mm	590x380x390

# HAND SCRUBBER POLISHER

Specifications	Unit	HD-15P
Brush Speed	RPM	1200
Power	W	1060
Motor Power	W	1000
Wire	M	10
Body Material	-	Plastic
Weight	Kg	5.5
Size	mm	430x150x170

HD-15P



# HAND SCRUBBER

HD-115



Specifications	Unit	HD-115
Brush Speed	RPM	0-2000
Body Material	-	Stainless Steel
Motor Power	W	500
Wire	M	10
Voltage	V	220
Brush Diameter	mm	180
Speed Control Mode	Nos	6
Weight	Kg	8-10
Size (LxWxH)	mm	390x150x340

## Our Esteemed Clients



At DYNACLEAN INDUSTRIES PVT. LTD., we are proud to be the trusted partner of some of India's most prestigious organizations. Our commitment to quality, performance, and customer satisfaction has helped us build strong relationships across various sectors.

We serve clients in Airports, Railways, Metro Projects, Municipal Corporations, Smart Cities, Government Organizations, and Private Industries



Indian Railways



दिल्ली मेट्रो रेल कॉर्पोरेशन लिमिटेड  
Delhi Metro Rail Corporation Limited



LUCKNOW METRO  
RAIL CORPORATION



Mumbai Metro



Indian Air Force



Indian Navy



Indian Army




India Trade Promotion ORG.



## **Our Pan India Network**

- Andhra Pradesh
- Telangana
- Karnataka
- Tamil Nadu
- Kerala
- Gujarat
- Maharashtra
- West Bengal
- Odisha
- Jammu Kashmir
- Punjab
- Himachal Pradesh
- Chandigarh
- Uttar Pradesh
- Uttarakhand
- Rajasthan



### **DYNACLEAN INDUSTRIES PVT LTD.**

1st Floor, 13-B, Kattabomman Street, Gandhi Nagar Road  
Gandhi Nagar, Ganapathy, Coimbatore, Tamil nadu  
Pin- 641006

Tel- 011-45143666, +91 93153 27809

Mail: [info@dynacleanindustries.com](mailto:info@dynacleanindustries.com), [sales@dynacleanindustries.com](mailto:sales@dynacleanindustries.com)

Website: [www.dynacleanindustries.com](http://www.dynacleanindustries.com)

Dynaclean Industries Pvt. Ltd.  
3rd Floor, PLOT No-9, Block-B, Pocket-3  
Sector-17, Dwarka, New Delhi-110078